

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

Appendix B- List of Vascular Plant Species known from Table Mountain NRCA

Based on field surveys by Joe Arnett, Chris Chappell, Russ Jolley, and Lois Kemp.

* = exotic species established beyond roadsides.

<u>Scientific Name</u>	<u>Common Name</u>
Trees	
<i>Abies amabilis</i>	Pacific silver fir
<i>Abies grandis</i>	grand fir
<i>Abies procera</i>	noble fir
<i>Acer macrophyllum</i>	bigleaf maple
<i>Alnus rubra</i>	red alder
<i>Pinus monticola</i>	western white pine
<i>Populus balsamifera</i> ssp. <i>Trichocarpa</i>	black cottonwood
<i>Prunus emarginata</i> var. <i>mollis</i>	bitter cherry
<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>	Douglas-fir
<i>Salix scouleriana</i>	Scouler's willow
<i>Taxus brevifolia</i>	Pacific yew
<i>Thuja plicata</i>	western redcedar
<i>Tsuga heterophylla</i>	western hemlock
<u>Shrubs, Subshrubs, and Vines</u>	
<i>Acer circinatum</i>	vine maple
<i>Acer glabrum</i> var. <i>douglasii</i>	Rocky Mountain maple
<i>Alnus viridis</i> spp. <i>sinuata</i>	Sitka alder
<i>Amelanchier alnifolia</i> var. <i>alnifolia</i>	serviceberry
<i>Arctostaphylos columbianum</i>	hairy manzanita
<i>Arctostaphylos uva-ursi</i>	kinnikinnick
<i>Berberis aquifolium</i>	tall Oregongrape
<i>Berberis nervosa</i>	dull Oregongrape
<i>Ceanothus sanguineus</i>	redstem ceanothus
<i>Chimaphila umbellata</i>	Prince's pine
<i>Columbiadoria</i> (aka <i>Haplopappus</i>) <i>hallii</i>	Hall's goldenweed
<i>Corylus cornuta</i> var. <i>californica</i>	beaked hazel
<i>Crataegus douglasii</i>	black hawthorn
<i>Eriogonum compositum</i> var. <i>compositum</i>	heartleaf buckwheat
<i>Frangula purshiana</i>	cascara buckthorn
<i>Gaultheria shallon</i>	salal

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

<i>Holodiscus discolor</i>	oceanspray
<i>Ilex aquifolium*</i>	English holly
<i>Juniperus communis</i> var. <i>montana</i>	common juniper
<i>Linnaea borealis</i> var. <i>longiflora</i>	twinflower
<i>Lonicera ciliosa</i>	orange honeysuckle
<i>Malus fusca</i>	Pacific crabapple
<i>Menziesia ferruginea</i> var. <i>ferruginea</i>	fools huckleberry
<i>Oemleria cerasiformis</i>	Indian plum
<i>Oplopanax horridus</i>	devils club
<i>Paxistima myrsinites</i>	Oregon boxwood
<i>Penstemon cardwellii</i>	Cardwell's penstemon
<i>Penstemon fruticosa</i>	shrubby penstemon
<i>Penstemon rupicola</i>	cliff penstemon
<i>Penstemon serrulatus</i>	Cascade penstemon
<i>Penstemon subserratus</i>	fine-tooth penstemon
<i>Philadelphus lewisii</i>	mockorange
<i>Phlox diffusa</i> spp. <i>Longistylis</i>	spreading phlox
<i>Prunus virginiana</i>	chokecherry
<i>Quercus garryana</i>	Oregon white oak
<i>Ribes bracteosum</i>	stink currant
<i>Ribes lacustre</i>	swamp currant
<i>Ribes sanguineum</i>	red-flowering currant
<i>Rosa gymnocarpa</i>	baldhip rose
<i>Rosa nutkana</i> var. <i>nutkana</i>	Nootka rose
<i>Rubus lasiococcus</i>	dwarf bramble
<i>Rubus leucodermis</i>	blackcap
<i>Rubus parviflorus</i>	thimbleberry
<i>Rubus spectabilis</i>	salmonberry
<i>Rubus ursinus</i>	trailing blackberry
<i>Sambucus cerulea</i>	blue elderberry
<i>Sambucus racemosa</i> var. <i>arborescens</i>	red elderberry
<i>Sorbus scopulina</i> var. <i>cascadensis</i>	Cascade mountain-ash
<i>Spiraea betulifolia</i> var. <i>lucida</i>	birch-leaf spirea
<i>Spiraea pyramidata</i>	pyramid spirea
<i>Symporicarpos albus</i> var. <i>albus</i>	common snowberry
<i>Symporicarpos hesperius</i>	creeping snowberry
<i>Toxicodendron diversiloba</i>	poison-oak
<i>Vaccinium membranaceum</i>	big huckleberry
<i>Vaccinium ovalifolium</i> (inc. <i>alaskaense</i>)	oval-leaf huckleberry
<i>Vaccinium parvifolium</i>	red huckleberry
<i>Viburnum ellipticum</i>	oval-leaf viburnum

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

Grasses, Sedges, and Rushes

<i>Agrostis pallens</i> (aka diegoensis)	thin bentgrass
<i>Aira caryophyllea</i>	silver hairgrass
<i>Alopecurus pratensis*</i>	field meadow-foxtail
<i>Bromus carinatus</i>	California brome
<i>Bromus tectorum*</i>	cheatgrass
<i>Bromus vulgaris</i>	Columbia brome
<i>Calamagrostis howellii</i>	Howell's reedgrass
<i>Carex deweyana</i>	Dewey's sedge
<i>Carex inops</i>	long-stolon sedge
<i>Carex mertensii</i>	Merten's sedge
<i>Danthonia californica</i>	California danthonia
<i>Elymus glaucus</i>	blue wildrye
<i>Festuca occidentalis</i>	western fescue
<i>Festuca rubra</i>	red fescue
<i>Festuca subulata</i>	bearded fescue
<i>Koeleria macrantha</i>	prairie junegrass
<i>Luzula multiflora</i>	many-flowered wood-rush
<i>Luzula parviflora</i>	small-flowered wood-rush
<i>Melica subulata</i>	Alaska oniongrass
<i>Poa nevadensis</i>	Nevada bluegrass
<i>Poa secunda</i>	curly bluegrass
<i>Vulpia myuros</i>	rat-tail fescue

Forbs and Ferns

<i>Achillea millefolium</i>	yarrow
<i>Achlys californica</i>	vanillaleaf
<i>Actaea rubra</i>	baneberry
<i>Adenocaulon bicolor</i>	pathfinder
<i>Adiantum aleuticum</i>	western maidenhair fern
<i>Allium acuminatum</i>	Hooker's onion
<i>Allium cernuum</i>	nodding onion
<i>Allotropa virgata</i>	candystick
<i>Anaphalis margaritacea</i>	pearly-everlasting
<i>Anemone deltoidea</i>	Columbia windflower
<i>Anemone oregana</i> var. <i>oregana</i>	blue windflower
<i>Angelica arguta</i>	Lyall's angelica
<i>Antennaria howellii</i> ssp. <i>neodoica</i> (aka neglecta)	Howell's pussytoes
<i>Antennaria microphylla</i>	rosy pussytoes

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

<i>Apocynum androsaemifolium</i>	spreading dogbane
<i>Aquilegia formosa</i>	red columbine
<i>Arabis holboellii</i>	Holboell's rockcress
<i>Arenaria capillaris</i> spp. <i>americana</i>	slender mountain sandwort
<i>Arnica latifolia</i> var. <i>latifolia</i>	broad-leaved arnica
<i>Artemisia cf. douglasiana</i>	Douglas' wormwood
<i>Aruncus dioicus</i>	goatsbeard
<i>Asarum caudatum</i>	wild ginger
<i>Aspidotis densa</i>	Indian's dream
<i>Asplenium trichomanes</i>	maindenhair spleenwort
<i>Athyrium filix-femina</i>	lady-fern
<i>Barbarea vulgaris</i> *	garden yellow-rocket
<i>Blechnum spicant</i>	deerfern
<i>Calochortus subalpinus</i>	subalpine mariposa-lily
<i>Campanula rotundifolia</i>	bluebells-of-Scotland
<i>Campanula scouleri</i>	Scouler's harebell
<i>Castilleja hispida</i> var. <i>hispida</i>	harsh paintbrush
<i>Castilleja miniata</i> var. <i>miniata</i>	great red paintbrush
<i>Cerastium arvense</i>	field chickweed
<i>Cerastium dubium</i> *	doubtful chickweed
<i>Chamerion</i> (aka <i>Epilobium</i>) <i>angustifolium</i>	fireweed
<i>Circaeа alpina</i>	enchanter's nightshade
<i>Cirsium arvense</i> *	Canada thistle
<i>Cirsium vulgare</i> *	bull thistle
<i>Clarkia amoena</i>	farewell-to-spring
<i>Claytonia siberica</i>	Siberian springbeauty
<i>Clintonia uniflora</i>	queen's cup
<i>Collinsia grandiflora</i>	large-flowered blue-eyed mary
<i>Collomia heterophylla</i>	varied-leaf collomia
<i>Comandra umbellata</i> var. <i>californica</i>	bastard-toadflax
<i>Coptis laciniata</i>	Oregon goldthread
<i>Corallorrhiza</i> sp.	coralroot
<i>Cornus unalaschkensis</i>	western bunchberry
<i>Crepis</i> sp.	hawksbeard
<i>Cryptogramma acrostichoides</i>	American rockbrake
<i>Cystopteris fragilis</i>	fragile fern
<i>Daucus carota</i>	queen Anne's lace
<i>Delphinium menziesii</i> var. <i>mensiesii</i>	Menzies' larkspur
<i>Delphinium nuttallii</i>	Nuttall's larkspur
<i>Dicentra formosa</i>	Pacific bleedingheart
<i>Disporum hookeri</i>	Hooker's fairybells
<i>Disporum smithii</i>	Smith's fairybells

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

<i>Douglasia laevigata</i> var. <i>laevigata</i>	cliff dwarf-primrose
<i>Dryopteris expansa</i>	spreading woodfern
<i>Epilobium minutum</i>	small-flowered willow-herb
<i>Equisetum telmateia</i>	giant horsetail
<i>Erigeron howellii</i>	Howell's daisy
<i>Eriophyllum lanatum</i> var. <i>lanatum</i>	woolly sunflower
<i>Erysimum capitatum</i> (aka <i>asperum</i>)	western wallflower
<i>Erythronium grandiflorum</i>	glacier lily
<i>Erythronium montanum</i>	white avalanche lily
<i>Fragaria vesca</i> var. <i>bracteata</i>	woods strawberry
<i>Fragaria virginianum</i> var. <i>platypetala</i>	broadpetal strawberry
<i>Fritillaria lanceolata</i>	chocolate lily
<i>Galium aparine</i>	cleavers
<i>Galium boreale</i>	boreal bedstraw
<i>Galium oreganum</i>	Oregon bedstraw
<i>Galium triflorum</i>	sweetscented bedstraw
<i>Gentiana calycosa</i>	Rainier pleated gentian
<i>Gilia capitata</i>	bluehead gilia
<i>Goodyera oblongifolia</i>	rattlesnake plantain
<i>Gymnocarpium dryopteris</i>	oakfern
<i>Heracleum maximum</i>	cow-parsnip
<i>Heuchera glabra</i>	alpine alumroot
<i>Heuchera micrantha</i>	small-flowered alumroot
<i>Hieracium albiflorum</i>	white-flowered hawkweed
<i>Hieracium acuminatum</i>	common hawkweed
<i>Hieracium longiberbe</i>	longbeard hawkweed
<i>Hieracium scouleri</i>	Scouler's hawkweed
<i>Hydrophyllum tenuipes</i>	slender-stem waterleaf
<i>Hypericum perforatum</i> *	common St-Johns-wort
<i>Hypochaeris radicata</i> *	hairy catsear
<i>Lapsana communis</i>	nipplewort
<i>Lathyrus nevadensis</i> var. <i>pilosellus</i>	Nevada peavine
<i>Lathyrus polyphyllus</i>	leafy peavine
<i>Lewisia columbiana</i> var. <i>columbiana</i>	Columbia bitterroot
<i>Ligusticum apiifolium</i>	celery-leaf licorice-root
<i>Lilium columbianum</i>	Columbia lily
<i>Listera caurina</i> western	twayblade
<i>Lithophragma parviflorum</i>	small-flowered prairie-star
<i>Lomatium dissectum</i> var. <i>dissectum</i>	fern-leaved lomatium
<i>Lomatium martindalei</i>	Martindale's lomatium
var. <i>martindalei</i>	
<i>Lomatium nudicaule</i>	bare-stem lomatium

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

<i>Lomatium triternatum</i>	nine-leaf lomatium
var. <i>triternatum</i>	
<i>Lotus micranthus</i>	small-flowered deervetch
<i>Lupinus argenteus</i> ssp. <i>argenteus</i>	
var. <i>laxiflorus</i>	spurred lupine
<i>Lupinus latifolius</i> spp. <i>latifolius</i>	broadleaf lupine
<i>Lupinus polyphyllus</i>	large-leaf lupine
<i>Lupinus sellullus</i> ssp. <i>sellullus</i>	
var. <i>lobbii</i>	Donner Lake lupine
<i>Lysichiton americanus</i>	skunkcabbage
<i>Maianthemum dilatatum</i>	beadrbuby
<i>Maianthemum racemosa</i>	large false Solomon's seal
<i>Maianthemum stellata</i> starry	false Solomon's-seal
<i>Microseris laciniata</i>	cutleaf microseris
<i>Mimulus alsinoides</i>	chickweed monkey-flower
<i>Mimulus guttatus</i>	yellow monkey-flower
<i>Moehringia macrophylla</i>	big-leaved sandwort
<i>Monotropa uniflora</i>	Indian pipe
<i>Montia parvifolia</i>	little-leaf montia
<i>Mycelis</i> (aka <i>Lactuca</i>) <i>muralis</i> *	wall lettuce
<i>Nemophila parviflora</i> var. <i>parviflora</i>	small-flowered nemophila
<i>Nothochelone nemorosa</i>	woodland beardtongue
<i>Orobanche uniflora</i>	naked broomrape
<i>Orthilia secunda</i>	sidebells
<i>Osmorhiza berteroii</i> (aka <i>chilensis</i>)	sweet-cicely
<i>Osmorhiza occidentalis</i>	western sweet-cicely
<i>Oxalis trilliifolia</i>	trillium-leaf oxalis
<i>Packera</i> (aka <i>Senecio</i>) <i>bolanderi</i>	
var. <i>harfordii</i>	Columbia Gorge groundsel
<i>Pedicularis racemosa</i> var. <i>racemosa</i>	sickle-top lousewort
<i>Petasites frigidus</i>	coltsfoot
<i>Phacelia heterophylla</i>	varied-leaf phacelia
<i>Phacelia nemoralis</i> ssp. <i>oregonensis</i>	woodland phacelia
<i>Phlox</i> (aka <i>Microsteris</i>) <i>gracilis</i>	slender phlox
<i>Piperia unalascensis</i>	Alaska rein-orchid
<i>Plantago major</i> *	common plantain
<i>Polygonum douglasii</i>	Douglas' knotweed
<i>Polypodium glycyrrhiza</i>	licorice fern
<i>Polypodium</i> sp.	polypody
<i>Polystichum munitum</i>	swordfern
<i>Potentilla glandulosa</i>	sticky cinquefoil
<i>Prenanthes alata</i>	western rattlesnake-root

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

<i>Prunella vulgaris</i>	self-heal
<i>Pteridium aquilinum</i>	bracken
<i>Pyrola asarifolia</i> spp. <i>asarifolia</i>	pink wintergreen
<i>Pyrola picta</i>	white-veined wintergreen
<i>Rumex acetosella</i>	sheep sorrel
<i>Sanicula graveolens</i>	Sierra sanicle
<i>Saxifraga</i> (aka <i>integrifolia</i>) <i>nidifica</i>	
var. <i>claytoniifolia</i>	peak saxifrage
<i>Saxifraga bronchialis</i> var. <i>vespertina</i>	yellow-spot saxifrage
<i>Saxifraga caespitosa</i>	
var. <i>subgemmifera</i>	tufted alpine saxifrage
<i>Saxifraga ferruginea</i> var. <i>vreelandii</i>	russet-hair saxifrage
<i>Saxifraga rufidula</i> (aka <i>occidentalis</i>)	rusty-hair saxifrage
<i>Sedum oreganum</i>	Oregon stonecrop
<i>Sedum spathulifolium</i>	broadleaf stonecrop
<i>Selaginella wallacei</i>	Wallace's selaginella
<i>Senecio integerrimus</i> var. <i>exaltatus</i>	western groundsel
<i>Silene douglasii</i> var. <i>monantha</i>	Douglas' catchfly
<i>Silene oregana</i>	Oregon catchfly
<i>Solidago canadensis</i> var. <i>salebrosa</i>	Canada goldenrod
<i>Stachys chamissonis</i> var. <i>cooleyae</i>	Cooley's hedge-nettle
<i>Stellaria crispa</i>	crisped starwort
<i>Stenanthium occidentale</i>	bronze bells
<i>Streptopus amplexifolius</i>	clasping-leaved twisted-stalk
<i>Streptopus roseus</i>	rosy twisted-stalk
<i>Synthris reniformis</i>	snow queen
<i>Synthris stellata</i>	Columbia kittentails
<i>Taraxacum officinale</i> *	dandelion
<i>Tellima grandiflora</i>	fringecup
<i>Thalictrum occidentale</i>	western meadowrue
<i>Thlaspi montanum</i> (aka <i>fendleri</i>)	
var. <i>glaucum</i>)	rock pennycress
<i>Tiarella trifoliata</i> var. <i>trifoliata</i>	three-leaf foamflower
<i>Tiarella trifoliata</i> var. <i>unifoliata</i>	one-leaf foamflower
<i>Tolmeia menziesii</i>	youth-on-age
<i>Tragopogon dubius</i> *	yellow salsify
<i>Trientalis borealis</i> ssp. <i>latifolia</i>	western starflower
<i>Trifolium cyathiferum</i>	cup clover
<i>Trillium ovatum</i>	western trillium
<i>Triteleia</i> (aka <i>Brodiaea</i>) <i>hyacinthina</i>	hyacinth brodiaea
<i>Valeriana scouleri</i>	Scouler's valerian
<i>Vancouveria hexandra</i>	inside-out flower

DRAFT TABLE MOUNTAIN NRCA MANAGEMENT PLAN March 14, 2006

<i>Vicia americana</i> var. <i>truncata</i>	American vetch
<i>Viola glabella</i>	pioneer violet
<i>Viola orbiculata</i>	round-leaf violet
<i>Viola sempervirens</i>	evergreen violet
<i>Woodsia oregana</i>	Oregon cliff fern
<i>Woodsia scopulina</i>	mountain cliff fern
<i>Xerophyllum tenax</i>	beargrass
<i>Zigadenus venenosus</i>	death-camas